



SIERRA API

Example Body: Patrons

```
## POST /v6/patrons/auth
##
## Check if patron barcode and PIN are valid - can apply LDAP.
##
```

```
{
  "authMethod": "native",
  "patronId": "23945100021641",
  "patronSecret": "1234"
}
```

```
## POST /v6/patrons/{id}/fines/charge
##
## Add a $2.50 manual charge at location eb for a locker rental
## fee. Note: Patron record number is placed in URI.
##
```

```
{
  "amount": 250,
  "reason": "Locker rental fee",
  "location": "eb"
}
```

```
## POST /v6/patrons/checkout
##
## Supply patron barcode and PIN and item barcode for patron
## self-checkout.
##
```

```
{
  "patronBarcode": "23945100021641",
  "itemBarcode": "31298001482960",

```

```
"patronPin": "1234"
}
```

```
## POST /v6/patrons/
##
## Create patron record with fixed- and variable-length data.
## Replace patron type, home library, pcode1, pcode2, pcode3,
## pcode4, pmessage, agency and notice pref with local
## information.
##
```

```
{
  "names": [
    "Ricottilli, Monica"
  ],
  "pin": "3113",
  "phones": [
    {
      "number": "510-555-3113",
      "type": "t"
    }
  ],
  "addresses": [
    {
      "lines": [
        "26652 Saginaw Dr",
        "Oakland, CA 94606"
      ], "type": "a"
    }
  ],
  "barcodes": [
    "21535023690450"
  ],
  "emails": [
    "mricottilli@email.com"
  ],
  "patronType": 12,
  "expirationDate": "2024-06-30",
  "homeLibraryCode": "eb",
  "patronCodes":
  {
    "pcode1": "-",
    "pcode2": "s",

```

```

        "pcode3": 5,
        "pcode4": 14
    },
    "birthDate": "1997-07-17",
    "pMessage": "v",
    "langPref": "eng",
    "fixedFields":
    { "158":
      {
        "label": "PAT AGENCY",
        "value": "1",
        "display": "Public Libraries"
      },
      "268":
      {
        "label": "NOTICE PREF",
        "value": "z",
        "display": "EMAIL"
      }
    }
  }
}

```

```

## PUT /v6/patrons/{id}/fines/payment
##
## Pay two fines for the same patron. Pay $22.50 for fine
## invoice 1110 and $11.70 for fine invoice 1111. For both
## fines, if amount is not entire value, leave remainder on
## record. Enter Sierra username in <Sierra user>. Note:
## Patron record number is placed in URI.
##

```

```

{
  "payments": [
    {
      "amount": 2250,
      "paymentType": 1,
      "invoiceNumber": "1110",
      "initials": "<Sierra user>"
    },
    {
      "amount": 1170,
      "paymentType": 1,
      "invoiceNumber": "1111",

```

```
    "initials": "<Sierra user>"
  }
]
```

```
## POST /v6/patrons/{id}/holds/requests
##
## Place bib hold on b1110507 with pickup location eb and a
## cancel if not filled by date of 11/20/2021. Note: Patron
## record number is placed in URI.
##
```

```
{
  "recordType": "b",
  "recordNumber": 1110507,
  "pickupLocation": "eb",
  "neededBy": "2021-11-20"
}
```

```
## PUT /v6/patrons/holds/{holdId}
##
## Change pickup location to ep and suspend a hold
## Note: Hold ID is placed in the URI.
##
```

```
{
  "pickupLocation": "ep",
  "freeze": true
}
```

```
## POST /v6/patrons/{id}/checkouts/history/activationStatus
##
## Activate or deactivate opt in status of reading history.
## Cannot deactivate if there is current activity. Note:
## Patron record number is supplied in the URI.
##
```

```
{
  "readingHistoryActivation": true
}
```

```
}
```

```
## POST /v6/patrons/query
```

```
##
```

```
## Search patron records with more than $50 owed and have
```

```
## at least one overdue item (can replace '07-19-2021'
```

```
## with today).
```

```
##
```

```
{
```

```
  "queries": [
```

```
    {
```

```
      "target": {
```

```
        "record": {
```

```
          "type": "patron"
```

```
        },
```

```
        "id": 96
```

```
      },
```

```
      "expr": [
```

```
        {
```

```
          "op": "greater_than",
```

```
          "operands": [
```

```
            "50"
```

```
          ]
```

```
        }
```

```
      ]
```

```
    },
```

```
    "and",
```

```
    {
```

```
      "target": {
```

```
        "record": {
```

```
          "type": "item"
```

```
        },
```

```
        "id": 65
```

```
      },
```

```
      "expr": [
```

```
        {
```

```
          "op": "less_than",
```

```
          "operands": [
```

```
            "07-19-2021"
```

```
          ]
```

```
        }
```

```
      ]
```

```
    }  
  ]  
}
```

```
## PUT /v6/patrons/{id}  
##  
## Update fixed-length fields and/or add/overwrite  
## variable-length fields in a patron record.  
## Note: supply patron record number in URI.  
##
```

```
{  
  "names": [  
    "Muller, Cesar R."  
  ],  
  "pin": "1102",  
  "phones": [  
    {  
      "number": "244-555-1102",  
      "type": "t"  
    }  
  ],  
  "barcodes": [  
    "20102220020044"  
  ],  
  "patronType": 12,  
  "expirationDate": "2022-06-30",  
  "homeLibraryCode": "eb",  
  "patronCodes":  
  {  
    "pcode2": "b"  
  },  
  "varFields": [  
    {  
      "fieldTag": "x",  
      "content": "Notified of new circulation policy on 4/23/21"  
    }  
  ]  
}
```

```
## POST /v6/patrons/validate
```

```
##  
##  Check if patron barcode and PIN are valid.  
##  
  
{  
  "barcode": "20102220052039",  
  "pin": "1234",  
  "caseSensitivity": true  
}
```

This publication is supplied for the exclusive use of customers of Innovative Interfaces with the understanding that it shall not be shown or distributed to anyone outside of the customer's organization without the prior written permission of Innovative Interfaces. This publication may be copied only if the copies are for the exclusive use of staff members of libraries that have purchased the Innovative system.

© 2021, Innovative Interfaces, Inc.